

SL No	Name of the machine	Qty	Specs
1	Cross Cutter Machine	4	Cutting Capacity Maximum dia: 105 mm, Circular Cutter Dia: 350 mm, Elect. Motor: 1 HP 3 PH 1440 RPM Saw – 14" x 1" x 3.2 mm, With Starter & Tool Kit.
2	External Knot Removing Machine	4	Cutter Dia.: 10" x 12 Tip Power Required: 1.5 HP 1440 RPM With Starter, 'V' Belt & Tool Kit
3	Internal Knot Removing Machine	3	Width of Slice: Up to 30 mm, Minimum Thick: 1.5 mm, Elect Motor: 1.5 HP 1440 RPM Machine Feeder: 4 Stroke
4	Radial Splitter Machine	3	Capacity: up to 8 Ft. Long Bamboo Splitting. Electric Motor: 3 HP 3 PH, Splitter: 2, 4, 6, 8, 10 & 12 Division. (Total 6 Nos.). Drive: Auto chain drive Blade Fitting: Fixed Type Blade
5	Four Side Planning Machine	1	Max. Planning Width: 32 mm Max. Thickness of Planning: 25 mm Side Planning Thick: 28 mm Elect. Motor: 7 HP
7	Sander Machine	3	Disc Dia: 250 mm Belt Size: 150 x 1220 mm Spindle RPM: 1400 Elect. Motor: 1 HP 1440 RPM Tilting Arrangement: Up to 450
8	Slicer Machine	4	Minimum Thickness: 1.00 mm Maximum Width of Slice: 30 mm Elect. Motor: 2HP 3 PH 1440 RPM,
9	Thin Slicer Machine	4	Width of Slice: 30 mm Minimum Thick: 0.7 mm Machine Feeder: 2 Stroke, Elect. Motor: 1 HP
10	Mat (Blind) Weaving Machine	1	Elect. Motor : 2.00 HP + 1.00 HP + 0.5 HP Max. Weaving Width : 6 Ft Max. Speed – 70 Times/Minutes (Adjustable)
11	Parallel Splitter Machine	3	Circular Cutter Dia : 12" Cutter Qty. : 2 Nos, Splitting Capacity : 4 Ft. Power Required : 3 HP
13	90 Degree Planning Machine	3	Max Shaping Planning Width : 225 mm Max. Planning Stroke : 3 mm Thick Rebating Capacity : ½" Elect Motor : 2 HP 1440 RPM
14	Width Sizing Machine	3	Maximum Width : 10" Sizing Thickness Capacity : 7" Minimum Length of Bamboo Piece : 10" Feeding Speed : 24Ft./Min Elect. Motor : 4 HP 1440 RPM
15	Engraving Machine	2	Laser Type, Co2 DC Glass Laser Tube/ Rf Metal Tube Laser Power – 80 Wave Length – 10.6 um Re-Positioning accuracy -0.1 mm Cutting Speed – 0-30000mm/min Engraving Speed: 0-6400 mm/min Acceleration Speed: 1 G Working Area : 1300 mm x 900 mm Colour Separation: Yes Drive System: High-precision 1 Phase Stepper Motor Auxiliary Equipment: Exhaust Fan and Air Exhaust Pipe, Power Supply : 230V + 10%, 50 HZ/60 HZ
16	Bamboo Treatment Plant	1	Power: 6 hp (Semi-Automatic) Fuel Type: Electrical Technology: Vacuum Pressure Impregnation plant

17	Spares & Tools	1 set	
TOOLKIT FOR 690 ARTISANS			
1	16inch aari saw blade	690	20 inch (Cutter) AARI
2	Hand cutter scissor	690	Trimmer for Branches with w/ Safety Lock
3	6inch mini hacksaw frame with blade	690	(6 INCH) 150MM with Plastic Handle
4	32mm beveled edge chisel	690	32mm size
5	Wood carving gouge chisel	690	Gouge Chisel
6	160mm knife needle file	690	160 mm
7	Strong metal grip piercing tool	690	Pie with handle
8	spokeshave	690	Material heavy Duty
9	Bow type saw	690	Carbon steel for cutting Bamboo
10	Canvas tool kit bag	690	15*11*5 inch size material canvas
11	5meter measuring tape	690	5 meter plastic
12	60cm stainless steel rule	690	Stainless steel

